



cococon
concept.



New Product

LED Candle Light



LED Candle lights

Light up different life scenes, warm atmosphere makes us open our hearts, close the distance between each other.



They can be used anywhere

Hospitality, Restaurants, Hotels, Function Halls, Beauty Spa's, Massage Therapists, Event's, Weddings, Parties, Churches, On Boats, At Home...














Remote Controller



Candle Model U

- **Size**
(D) 38mm* (H) 65mm
- **Lighting effects**
RGBW \ AMBER\ Warm white
- **Built-in Li-ion Battery**
Burning time:10~12 hours
- **Waterproof**
Indoor and Outdoor use
- **Luminous efficacy**
130 lm/W
- **Charging time**
2 hours
- **Control mode**
Bluetooth Remote controlled
Tuya App
- **Led source**
Lifespan 50,000 hrs
- **Charging system**
4 or 12 set wireless charging base

Optional Colors



Warm White



Amber



RGBW



Natural Flame Flickering Swing flame










Candle light glowed softly in the darkness and the simulated flickering flame followed the candle light as if it were a real candle



Product Features



Candle Model L

- | | | |
|---|---|--|
|  Size
(D) 34mm* (H) 60mm |  Lighting effects
RGBW \ AMBER\ Warm white |  Built-in Li-ion Battery
Burning time:10~12 hours |
|  Waterproof
Indoor and Outdoor use |  Luminous efficacy
130 lm/W |  Charging time
2 hours |
|  Control mode
Remote controlled & Tuya App |  Led source
Lifespan 50,000 hrs |  Charging system
4 or 12 set wireless charging base |

Optional Colors



Warm White



Amber








Product Features





Candle Model S


- 


Size
(D) 40mm* (H) 70mm
- 


Lighting effects
RGB \ AMBER\ Warm white
- 


Built-in Li-ion Battery
Burning time:12~13 hours
- 

Waterproof
Indoor and Outdoor use
- 

Luminous efficacy
130 lm/W
- 

Charging time
8 hours
- 

Control mode
Remote controlled
- 

Led source
Lifespan 50,000 hrs
- 

Charging system
4 or 12 set wireless charging base

Optional Colors



Warm White



Amber



RGBW



Product Features



4"
(D) 80mm* (H) 100mm

5"
(D) 80mm* (H) 130mm

6"
(D) 80mm* (H) 148mm

Candle Model 0

Size
3 models

Waterproof
Indoor and Outdoor use

Control mode
Remote controlled

Lighting effects
RGBW \ AMBER\ Warm white

Luminous efficacy
130 lm/W

Led source
Lifespan 50,000 hrs

Built-in Li-ion Battery
Burning time:12~13 hours

Charging time
8 hours

Charging system
4 set wireless charging plate

Optional Colors



Warm White



Amber



RGBW



Natural Flame Flickering Swing flame

Candle light glowed softly in the darkness and the simulated flickering flame followed the candle light as if it were a real candle



European Patent
United States Patent

Product Features



Candle Model M

Size
(D) 89mm* (H) 159mm

Waterproof
Indoor and Outdoor use

Control mode
Remote controlled

Lighting effects
Warm white 2000k

Luminous efficacy
130 lm/W

Led source
Lifespan 50,000 hrs

Built-in Li-ion Battery
Burning time:15~16 hours

Charging time
8 hours

Charging system
4 set wireless charging plate

Optional Colors



Warm White 2000k














Product Features



Candle Model A

- | | | |
|---|--|--|
|  Size
(D) 38mm* (H) 50mm |  Lighting effects
RGB \ AMBER\ Warm white |  Built-in Li-ion Battery
Burning time:16 hours |
|  Waterproof
Indoor and Outdoor use |  Luminous efficacy
130 lm/W |  Charging time
6~8 hours |
|  Control mode
Remote controlled |  Led source
Lifespan 50,000 hrs |  Charging system
4 or 12 set wireless charging base |

Optional Colors



Warm White



Amber



RGBW














Product Features



Candle Model D

- | | | |
|---|--|--|
|  Size
(D) 38mm* (H) 38mm |  Lighting effects
RGB \ AMBER\ Warm white |  Built-in Li-ion Battery
Burning time:16 hours |
|  Waterproof
Indoor and Outdoor use |  Luminous efficacy
130 lm/W |  Charging time
6~8 hours |
|  Control mode
Remote controlled |  Led source
Lifespan 50,000 hrs |  Charging system
4 or 12 set wireless charging base |

Optional Colors



Warm White



Amber



RGBW














Product Features



Candle Model F

- | | | |
|---|--|--|
|  Size
(D) 40mm* (H) 65mm |  Lighting effects
RGB \ AMBER\ Warm white |  Built-in Li-ion Battery
Burning time:12~13 hours |
|  Waterproof
Indoor and Outdoor use |  Luminous efficacy
130 lm/W |  Charging time
8 hours |
|  Control mode
Remote controlled |  Led source
Lifespan 50,000 hrs |  Charging system
4 or 12 set wireless charging base |

Optional Colors



Warm White



Amber




RGBW








Product Features





Candle Model J


- 


Size
(D) 40mm* (H) 70mm
- 


Lighting effects
RGB \ AMBER\ Warm white
- 


Built-in Li-ion Battery
Burning time:16 hours
- 

Waterproof
Indoor and Outdoor use
- 

Luminous efficacy
130 lm/W
- 

Charging time
6~8 hours
- 

Control mode
Remote controlled
- 

Led source
Lifespan 50,000 hrs
- 

Charging system
4 or 12 set wireless charging base

Optional Colors



Warm White



Amber



RGBW











Product Features



Candle Model MP02-1

- **Size**
(D) 38mm* (H) 80mm
- **Lighting effects**
AMBER\ Warm white 2700K
- **Use the battery**
Runs on 4 x AAA batteries
- **Waterproof**
Indoor and Outdoor use
- **Luminous efficacy**
130 lm/W
- **Led source**
Lifespan 50,000 hrs

Optional Colors



Warm White 2700K



Amber



Natural Flame Flickering Swing flame



Candle light glowed softly in the darkness and the simulated flickering flame followed the candle light as if it were a real candle

European Patent
United States Patent

Product Features



Candle Model MP02-2



Size
(D) 38mm* (H) 80mm



Lighting effects
AMBER\ Warm white



Use the battery
Runs on 2 C Ir14 1.5 volt battery



Waterproof
Indoor and Outdoor use



Luminous efficacy
130 lm/W



Led source
Lifespan 50,000 hrs

Optional Colors



Warm White 2000k





Holder

Romantic atmosphere

A variety of shapes are suitable for different occasions, whether indoor or outdoor use, there are always suitable for your needs

Frosted Holder



CH01
76mm*76mm*(H)115mm



CH02
(D)98mm*(H) 94mm



CH03
(D)80mm*(H)129mm



CH04
75mm*75mm*(H) 98mm



CH05
(D)90mm*(H)102mm



CH06
80mm*80mm*(H)90mm



CH07
(D)100mm*(H)97mm



CH08
(D)100mm*(H)109mm



CH09
78mm*78mm*(H)97mm



CH10
80mm*80mm*(H)102mm



CH11
80mm*80mm*(H)98mm



CH12
71mm*71mm*(H)89mm



CH24
(D)110mm*(H)90mm



CH25
(D)mm*(H)115mm



CH26
(D)110mm*(H)90mm



CH27
(D)115mm*(H)90mm



CH29
(D)82mm*(H)125mm

Natural stone

(D)70mm*(H)125mm
(D)90mm*(H)125mm



Natural stone has a unique natural texturecan not copy the pattern, each is unique



Remote Controller



For RGBW Multiple 16 Colors

- RGB multicolor led cordless lamp offers
- 12 optional colors operated by remote
- 4 light modes

Brightness control

Flickering mode

4 hour time setting

Turn on/off

Static mode

Smooth mode

4000K

2000K



For RGBW Multiple 12 Colors

- RGB multicolor led cordless lamp offers
- 12 optional colors operated by remote

Turn on/off

Flickering or static mode

4-huor time setting

Brightness control

Smooth or flash mode



For Single Color

- Warm White or Amber

Turn on/off

4 or 8 huor time setting

Flickering or static mode

Brightness control

Smart Control

Control the lighting function through APP

Tuya Smart App enables your device to be controlled remotely through the network. After you register or log in your account,you can manage your device at any time.



Smart devices with Bluetooth and Tuya logos support APP Bluetooth or remote control

Scan QR code bellow to install

1. Press the button on the bottom of the shape to turn it on to pair.
2. Go into the Smart Life app, tap add device (Wifi).
3. The indicator light should then be blinking rapidly, if it's blinking slowly, press and hold the reset button for 6 seconds.
4. Enter your wifi password to complete the pairing.



Candle Modle

RGB Colors
Be Creative with 16 million colors

Warm&Cool
2700k~4000K Light Color Temperature

Scene Mode
Multiple scene lighting modes

Music Mode
Through the mobile phone microphone you can let the light and music synchronization change.

Countdown Mode
Trigger a programed task at your preset time

Smart Control
Control the lighting function through APP

Turn on/off

Brightness control

Turn on/off

Color temperature

Scene Mode

Group 1

Group 2

Group 3

Group 4



Adaptor Options For All Countries



EU Adaptor Power

Input:AC100-240V ~ 0.4A 50/60Hz
Output:DC5V 2A
Ip20



US Adaptor Power

Input:AC100-240V ~ 0.4A 50/60Hz
Output:DC5V 2A
Ip20



AU Adaptor Power

Input:AC100-240V ~ 0.4A 50/60Hz
Output:DC5V 2A
Ip20



UK Adaptor Power

Input:AC100-240V ~ 0.3A 50/60Hz
Output:DC5V 2A
Ip20

Charging Base

Wireless QI charger, inductive charging system avoids bothersome wring. Just place lamps on the charger.Stable and efficient IC control ensure built-in battery to work smoothly.


- ⚡ Wireless Qi intelligent charging system
- Red indicator shows the charging status
- Green indicator shows the fully-charged status





Induction Charging Base set of 4

⊞ (L)121mm * (W)110mm * (H)39mm
⊞ 5V-1A







Induction Charging Base Set of 12

 (L)300mm * (W)138mm * (H)39mm
 12V-1A




Induction Charging Base Set of 24

 (L)300mm * (W)268m * (H)39mm
 12V-2A





Induction Charging Base - MP06-4

 (L)210mm * (W)225mm * (H)30mm
 5V-2A



Linkable

 (L)210mm * (W)450m * (H)30mm
 5V-4A



cocoon
concept.



www.cocoon-concept.com

Info@cocoon-concept.com

Unit F, 12th Floor, Gee Tung Chang Industrial Bldg, 4 Fung Yip Street, Siu Sai Wan, Hong Kong |
T : (+852) 2896 0071 | F : (+852) 2896 0200